

City of Prince Albert

General Permit Requirements

- Permit shall be produced upon request of any Prince Albert Police Service Officer.

Permit Fees

Moving Permit - Free

Requires Director of Public Works or Designates approval - \$20.00

(\$20 for each new load) (Same loads can be issued on one permit.)

Every 500kg Gross Overweight - \$5.00

e.g. 2 axle Straight truck weighing 20,000kg

Weight limit – 16,350kg

Overweight = 20,000-16350 = 3650

Overweight divided by 500kg = 7.3

7.3\$5 = \$36.50 for overweight permit*

The permit holder is responsible for any cost associated with accommodating a load through the City of Prince Albert, including but not limited to: temporary parking restrictions, moving on street infrastructure such as traffic lights or signs, providing additional escort, etc... in addition to permit fees.

Road Restriction Email List

- Those requesting permits may request to have their email address or fax number included on the Road restriction list. Those on the list will be notified of any road closures or road restrictions along heavy vehicle routes in order to avoid these areas when necessary.

General Restrictions

- It is the responsibility of the permit holder to obtain permission from Carlton Trail Railway, SaskTel, SaskPower, or any other authority having jurisdiction with respect to an overhead structure or other impediment
- It is the responsibility of the permit holder to obtain necessary permits and/or permission from the Department of Highways or any other authority having jurisdiction with respect to Roadways travelled
- This permit is not valid for travel on any municipal road or provincial highway which an order of the Director of Public Works or Ministry of Highways has restricted the weight to less than normal loads.
- Travel for overweight and over dimension loads are subject to any restrictions caused by structures or construction on public roadways
- The following times are restricted for travel through the municipality of Prince Albert on weekdays

8:00am - 9:30am

11:30am - 1:30pm

5:00pm - 7:00pm

Farm Equipment Restrictions

- Must follow general restrictions at all times
- Require a permit when over 18' tall in height and 22' wide

Width Restrictions

Greater than 2.6m (8.53')

- Require a permit to travel through the City
- Must travel along the heavy vehicle route and shall only deviate from the Heavy vehicle route when the most direct route on the arterial road network from the heavy vehicle route and on any other city streets in the neighborhood from the arterial road network to its destination be taken as to avoid unnecessary traversing of City Streets
 - Red flags required on the extremities of the load that overhang the sides or rear of the vehicle

Greater than 3.05m

- Must have a D sign, Wide load sign or oversize load sign located at the front and rear of the vehicle
- If operated between sunset and sunrise, must have a lamp that illuminates the sign at the rear of the vehicle or is equipped with an amber beacon mounted at the center of the rear of the vehicle with the D sign, Wide Load sign or oversize load sign

Greater than 3.3 m

- Require an flashing or rotating amber beacon that is visible for 200m

Greater than 5.0m

- Trail Vehicle required at the rear of the loaded vehicle

Greater than 6.7m (22')

- Must only travel along the heavy vehicle route and must not travel over the bridge or on any roadway not designated as a Heavy vehicle route except with written permission from the Transportation Manager or Director of Public Works

Greater than 9.1 m (30')

- Must obtain written permission from the Transportation Manager or Director of Public Works to travel through the City of Prince Albert.

Weight Restrictions

Weight or Carries on any axle or wheel thereof a gross weight in excess of the lesser of the gross or axle weight described in Schedule 51 of the Traffic Bylaw

- Require a permit to travel through the City

- Must travel along the heavy vehicle route and shall only deviate from the Heavy vehicle route when the most direct route on the arterial road network from the heavy vehicle route is taken, and on any other city streets in the neighborhood from the arterial road network to its destination be taken as to avoid unnecessary traversing of City Streets

Height Restrictions

Greater than 4.15m (13.5')

- Require a permit to travel through the City
- Must travel along the heavy vehicle route and shall only deviate from the Heavy vehicle route when the most direct route on the arterial road network from the heavy vehicle route is taken, and on any other city streets in the neighborhood from the arterial road network to its destination be taken as to avoid unnecessary traversing of City Streets

Greater than 5.5m (18')

- Must provide a drawing of load to the Public Works Department so that it may be determined whether the load will fit under overhead traffic lights
- May only travel on City of Prince Albert roadways with the written permission of the Director of Public Works or Transportation Manager.

Length Restrictions

Over lengths described below

- 12.5 metres for a truck or single vehicle
 - 16.2 metres for a semi-trailer or full trailer
 - 20 metres for a box length on an A or C train
 - 20 metres for the box length on a B Train
 - 23 metres for a tractor and a semi-trailer
 - 25 metres for a tractor and an A, B, or C train
 - 23 metres for any other combination of vehicles
- Must travel along the heavy vehicle route and shall only deviate from the Heavy vehicle route when the most direct route on the arterial road network from the heavy vehicle route is taken, and on any other city streets in the neighborhood from the arterial road network to its destination be taken as to avoid unnecessary traversing of City Streets
















Greater than above stipulated lengths

- Must obtain written permission from the Transportation Manager or Director of Public Works to travel through the City of Prince Albert.

Liability

- By obtaining a permit for travel within the City of Prince Albert the permit holder hereby undertakes and agrees to be responsible for and pay to the City of Prince Albert all or any damages which may be caused by the permit holder or any of their servants, employees or agents to any property of the City of Prince Albert or any other property while moving said load under the terms of the permit granted for the purposed, the amount whereof is to be determined by the City Engineer in the case of City property, promptly upon demand and to indemnify and save harmless the City of Prince Albert against all claims which might be made against it for damages to property or persons by reason of anything which the permit holder or any servants, employees, or agents may do under the terms of the permit which may be granted to the permit holder by reason or this application, and to defend at their expense all actions which might be taken against the City in connection with any of the said claims.

GROSS WEIGHT CHART

LEVEL	VEHICLE TYPE	GROSS WEIGHTS (MAR 15 - NOV 15)	GROSS WINTER WEIGHTS (NOV 16 - MAR 14)
LEVEL 1	STRAIGHT TRUCK 2 AXLES  G 5,500** 9,100 WG 5,500** 10,000	16 350 kg 36 000 lbs	17 250 kg 38 000 lbs
	STRAIGHT TRUCK 3 AXLES  G 5,500** 17,000 WG 5,500** 18,000	24 250 kg 53 400 lbs	25 250 kg 55 600 lbs
	STRAIGHT TRUCK W/ TANDEM STEERING 4 AXLES  G 13,600 17,000 WG 13,600 18,000	30 600 kg 67 400 lbs	31 600 kg 69 600 lbs
	TRACTOR - SEMI TRAILER 4 AXLES  G 5,500 9,100 17,000 WG 5,500 10,000 18,000	31 600 kg 69 600 lbs	33 500 kg 73 800 lbs
	STRAIGHT TRUCK - LIGHT TRAILER 3 AXLE TRUCK - 2 or 3 AXLE TRAILER  G 5,500** 17,000 7,350 WG 5,500** 18,000 8,250	31 600 kg 69 600 lbs	33 500 kg 73 800 lbs
LEVEL 2	TRACTOR - SEMI TRAILER 5 AXLES  G 5,500 17,000 17,000 WG 5,500 18,000 18,000	38 500 kg 87 000 lbs	41 500 kg 91 500 lbs
	TRACTOR - SEMI TRAILER 6 AXLES  G 5,500 17,000 24,000* WG 5,500 18,000 24,000*	46 500 kg 102 400 lbs	46 500 kg 102 400 lbs
	TRUCK - POLE TRAILER 5 AXLES  G 5,500** 17,000 17,000 WG 5,500** 18,000 18,000	41 250 kg 90 900 lbs	43 250 kg 95 300 lbs
	TRUCK - FULL TRAILER 5 AXLES  G 5,500** 17,000 9,100 WG 5,500** 18,000 10,000	42 450 kg 93 100 lbs	45 250 kg 99 700 lbs
LEVEL 3	TRUCK - FULL TRAILER 6 AXLES  G 5,500** 17,000 9,100 17,000 WG 5,500** 18,000 10,000 18,000	50 350 kg 111 000 lbs	53 250 kg 117 400 lbs
	A TRAIN / C TRAIN 6 AXLES  G 5,500 9,100 17,000 9,100 9,100 WG 5,500 10,000 18,000 10,000 10,000	49 500 kg 109 800 lbs	53 500 kg 118 000 lbs
	A TRAIN / C TRAIN 7 AXLES  G 5,500 17,000 17,000 9,100 9,100 WG 5,500 18,000 18,000 10,000 10,000	53 500 kg 118 000 lbs	53 500 kg 118 000 lbs
	A TRAIN / C TRAIN 8 AXLES  G 5,500 17,000 17,000 9,100 17,000 WG 5,500 18,000 18,000 10,000 18,000	53 500 kg 118 000 lbs	53 500 kg 118 000 lbs
	B TRAIN 7 AXLES  G 5,500 17,000 17,000 17,000 WG 5,500 18,000 18,000 18,000	56 500 kg 124 500 lbs	59 500 kg 131 100 lbs
	B TRAIN 8 OR 9 AXLES  G 5,500 17,000 23,000* 17,000 WG 5,500 18,000 23,000* 18,000	52 500 kg 137 700 lbs	52 500 kg 137 700 lbs

INTERAXLE SPACING
MAXIMUM ALLOWABLE WEIGHT FOR AXLE GROUPS MAY DEPEND ON THE FOLLOWING MINIMUM DISTANCE REQUIREMENTS (INTERAXLE SPACING):

- 3.4m (10'11") BETWEEN TWO AXLES
 - 3.0m (9'10") BETWEEN A TANDEM AXLE GROUP AND A SINGLE AXLE
 - 5.0m (16'4") BETWEEN TWO TANDEM AXLE GROUPS
 - 5.3m (16'1") BETWEEN A TANDEM AXLE AND A TRIDEM AXLE GROUP
 - 6.0m (19'6") BETWEEN TWO TRIDEM AXLE GROUPS
- WHEN INTERAXLE SPACING IS LESS THAN MINIMUM, COMBINED AXLE GROUP WEIGHTS APPLY:

AXLE GROUP	INTERAXLE SPACING	COMBINED WEIGHT
TWO SINGLES	> 3.7m < 3.7m TO 3.4m	18,200 kg 14,500 kg
SINGLE AND TANDEM	< 3.0m TO 2.5m < 2.5m TO 2.0m < 2.0m	24,500 kg 23,000 kg 21,000 kg
SINGLE AND TRIDEM	< 5.0m TO 4.0m < 4.0m TO 3.0m < 3.0m	29,000 kg 26,000 kg 24,000 kg
TANDEM AND TANDEM	< 5.0m TO 3.0m < 3.0m TO 2.0m < 2.0m	30,000 kg 24,000 kg 23,000 kg
TANDEM AND TRIDEM	< 5.5m TO 4.5m < 4.5m TO 3.0m < 3.0m	35,000 kg 30,000 kg 24,000 kg
TRIDEM AND TRIDEM	< 6.0m TO 5.0m < 5.0m TO 4.0m < 4.0m TO 3.0m < 3.0m	40,000 kg 35,000 kg 32,000 kg 28,000 kg
TANDEM AND SINGLE APPROVED C DOLLY		23,000 kg
TANDEM AND TANDEM END DUMP TRAILERS: (WFR BEFORE JAN 89)	< 5.0m TO 3.4m < 3.4m TO 3.0m	32,000 kg 30,000 kg
TANDEM AND TANDEM END DUMP TRAILERS: (WFR AFTER DEC 88)	< 5.0m TO 4.5m < 4.5m TO 3.0m	32,000 kg 30,000 kg

*AXLE GROUP WEIGHTS VARY ACCORDING TO AXLE SPREAD
G = GROSS AXLE GROUP WEIGHT (kg)
WG = GROSS WINTER AXLE GROUP WEIGHT (kg) - NOV 16 - MAR 14
**TWO AND THREE AXLE STRAIGHT TRUCKS HAVING APPROPRIATE AXLE RATINGS AND THE SIZES MAY OPERATE AT 7,250 kg ON THE STEER AXLE

CITY OF PRINCE ALBERT				APPROVED
PUBLIC WORKS				
BYLAW 1 OF 2013				CITY ENGINEER
SCHEDULE 51				SCALE NTS
No.	DATE	REVISION	DRAWN	DESIGNED
				DATE
				DWG. No. 2013 Truck Weight Schedules



